

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"0769728"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/07 15:12
S2	0	EP0769728.ap.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/07 15:13
S3	1	"11519766"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/07 15:24
S4	1	"10519766"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/07 15:24
S5	3	(george clifton geleyNSE carl).in.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/07 15:42
S7	2	("5530533" "5576818"). PN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/07 15:44
S8	3	("5640659").URPN.	USPAT	AND	ON	2008/08/07 15:44
S9	198	399/307.ccls.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/07 15:45
S10	1033	399/302.ccls.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/07 15:45
S11	1214	399/308.ccls.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/07 15:45
S12	1	"5988068".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/07 16:17
S13	7	("3698314" "4187774" "5045697" "5544582" "5594484" "5641558" "5677370").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/07 16:17
S14	2	("5988068").URPN.	USPAT	AND	ON	2008/08/07 16:17

S15	24	(roller or transfer or medium) near3 lower near1 temperature near3 (paper or web or substrate) print\$4	USPAT	AND	ON	2008/08/07 16:18
S16	45	cooling near1 device with transfer near2 (roller or medium or device) with temperature	USPAT	AND	ON	2008/08/07 16:49
S17	13	cooling near1 device with transfer near2 (roller or medium or device) with temperature print\$4	USPAT	AND	ON	2008/08/07 16:49
S18	7	cooling near1 device with transfer near2 (roller or medium or device) with temperature ("101".clas. or "347".clas. or "399".clas.)	USPAT	AND	ON	2008/08/07 16:49
S19	7	cooling near1 device with transfer near2 (roller or medium or device) with "40"	USPAT	AND	ON	2008/08/07 16:51
S20	11	cooling near1 device with transfer near2 (roller or medium or device) with below	USPAT	AND	ON	2008/08/07 16:52
S21	7	("3698314" "4187774" "5045697" "5544582" "5594484" "5641558" "5677370").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/07 18:23
S22	100	dry near3 powder near3 print \$4 temperature\$4	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/07 18:24
S23	24	dry near3 powder near3 print \$4 temperature\$4 ("101". clas. or "347".clas. or "399". clas.)	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/07 18:26
S24	25	dry near3 powder near3 print \$4 temperature\$4 near3 (web or paper or substrate)	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/07 18:27
S25	0	FSi with surface near1 energy	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/07 18:43
S29	43	fluorosilicone with surface near1 energy	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/07 18:43
S30	67594	((temperature near3 sensor) or thermometer or thermostat) with (heater or (heat\$4 near3 element or device or apparatus)) control \$4 with temperature	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/10 20:42

S31	2462	((temperature near3 sensor) or thermometer or thermostat) with (heater or (heat\$4 near3 element or device or apparatus)) control \$4 with temperature with substrate	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/10 20:49
S32	14	((temperature near3 sensor) or thermometer or thermostat) with (heater or (heat\$4 near3 element or device or apparatus)) control \$4 with temperature with substrate "101".clas.	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/10 20:49
S33	1093	((temperature near3 sensor) or thermometer or thermostat) with (heater or (heat\$4 near3 element or device or apparatus)) control \$4 near3 substrate near3 temperature	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/10 21:28
S34	1291	((temperature near3 sensor) or thermometer or thermostat) with (heater or (heat\$4 near3 element or device or apparatus)) control \$4 with temperature sens\$4 with temperature near2 substrate	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/10 21:29
S35	1467	((temperature near3 sensor) or thermometer or thermostat) with (heater or (heat\$4 near3 element or device or apparatus)) control \$4 with temperature sens\$4 with temperature near2 (substrate or web or paper)	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/10 21:30
S36	15	((temperature near3 sensor) or thermometer or thermostat) with (heater or (heat\$4 near3 element or device or apparatus)) control \$4 with temperature sens\$4 with temperature near2 (substrate or web or paper) "101".clas.	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/10 21:30
S37	11	temperature near3 sensor with heating near3 element with (entirety or (entire near3 (width or length or extent)))	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/10 21:37

S38	141	temperatur\$4 near3 control with (separate\$4 or individual\$4 or distinct\$4) near3 zone temperature near3 (sensor or detect\$4) with heat\$4	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/10 21:48
S39	1105	(temperature near3 sensor or thermometer) with pyrometer	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/10 21:48
S40	2	(temperature near3 sensor or thermometer) with pyrometer "101".clas.	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/10 21:48
S41	1134	219/390.ccls.	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/10 21:50
S42	13	S38 and S41	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/10 21:51
S43	1	"5,156,461".pn.	US-PGPUB; USPAT; USOCR	AND	ON	2008/08/10 21:53
S44	2	liquid near3 cool\$4 with roll \$4 with air near3 flow transfer near3 medium	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/11 12:16
S45	26	liquid near3 cool\$4 near3 roll \$4 air near3 flow transfer\$4 with surface	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/11 12:18
S46	1	(internal\$4 or interior) near3 air near3 cool\$4 with transfer near3 roller	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/11 12:33
S47	70	(internal\$4 or interior) near3 cool\$4 with roller with air	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/11 13:23
S48	4	fluorosilicone near1 rubber with surface near1 energy	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/11 15:34
S49	0	fluorosilicone near1 rubber with antiadhesive	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/11 15:36
S50	501	399/237.ccls.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/11 15:46
S51	1	"6,322,187".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/11 16:02
S52	1	"5,908,000".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/11 16:03

S53	1	"20020110391"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/11 16:03
S54	142	347/102.ccls. (infrared or infra-red or ir) near2 (heat \$3 or lamp)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/08/14 14:38
S55	312	101/488.ccls.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/02/19 19:14
S56	206	101/488.ccls. @ad<="20030611"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/02/19 19:20
S57	1	"5640659".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/02/19 19:21
S58	423	transfer with (substrate or web) near2 (warm\$4 or hot \$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/02/19 19:58
S59	306	transfer with (substrate or web) near2 (warm\$4 or hot \$4) @ad<="20030611"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/02/19 19:59
S60	170	transfer with (substrate or web) near2 (warm\$4 or hot \$4) @ad<="20030611" print \$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/02/19 20:01
S61	420	"399".clas. heat\$4 cool\$4 transfer near2 roll	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/02/20 18:28
S62	4	internal\$4 near2 cool\$4 near2 transfer near2 roll\$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/02/22 19:05
S63	10	internal\$4 near2 cool\$4 near2 transfer near2 (roll\$4 or cylinder)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/02/22 19:20
S64	1	"5,784,957".pn.	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/24 19:40
S65	4576	"399".clas. electrophotograph \$4 heat\$4 cool\$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/17 13:43
S66	1268	"399".clas. electrophotograph \$4 with drum heat\$4 cool\$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/17 13:43
S67	158	"399".clas. electrophotograph \$4 with drum heat\$4 with (web or substrate or medium) cool\$4 with (transfer or belt)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/17 13:44

S68	13	("5893018").URPN.	USPAT	AND	ON	2009/09/17 14:03
S69	22	("4541709" "4708460" "5410392" "5519476" "5561510" "5612773" "5629761" "5805967" "5832352" "5893018" "6088565" "6141524").PN. OR ("6604461").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/09/17 14:04
S70	17	("2990278" "3862848" "3893761" "3957367" "4095886" "4183658" "4341455" "4453820" "4541709" "4682880" "4708460" "4796048" "4992833" "5233397" "5351114" "5428430").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/09/17 14:04
S71	115	electrophotograph\$4 with temperatur\$4 with (sens\$4 or detect\$4 or desterm\$4) heat\$4 with (web or sheet or material or substrat\$4)	USPAT	AND	ON	2009/09/17 17:58
S72	3206	pyromet\$4 heat\$4 with (substrat\$4 or web or medium or sheet)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/17 18:08
S73	72	pyromet\$4 heat\$4 with (substrat\$4 or web or medium or sheet) (sens\$4 or detect\$4) with (entir\$4 or whole\$4 or length\$4 or width \$4) with (substrat\$4 or web or medium or sheet)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/17 18:09
S74	92	pyromet\$4 electrophotograph\$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/17 18:11
S75	25	pyromet\$4 with (substrat\$4 or web or medium or sheet) with (entir\$4 or whol\$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/17 18:19
S76	2220	heat\$4 with (multipl\$4 or several\$4) near2 zone	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/17 18:22
S77	11	multipl\$4 near2 heat\$4 same multipl\$4 near2 (sens \$4 or detect\$4) with (surface or substrate or web)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/18 13:43

S78	12	(multipl\$4 or several or plurality or many) near2 heat \$4 same multipl\$4 near2 (sens\$4 or detect\$4) with (surface or substrate or web)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/18 13:45
S79	223	(multipl\$4 or several or plurality or many) near2 heat \$4 same (multipl\$4 or several or plurality or many) near2 (sens\$4 or detect\$4 or pyromet\$4) with (surface or substrate or web)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/18 13:46
S80	3273	"399".clas. (substrate or web or sheet or paper) with (heat or temperatur\$4) with (sens\$4 or detect\$4 or measur\$4 or determin\$4 or pyromet\$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/18 14:02
S81	499	"399".clas. (substrate or web or sheet or paper) with (heat or temperatur\$4) with (sens\$4 or detect\$4 or measur\$4 or determin\$4 or pyromet\$4) (heat or temperatur\$4) with (sens\$4 or detect\$4 or measur\$4 or determin\$4 or pyromet\$4) with (multipl\$4 or plural\$4 or several\$4 or many\$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/18 14:03
S82	282	"399".clas. (substrate or web or sheet or paper) with (heat or temperatur\$4) with (sens\$4 or detect\$4 or measur\$4 or determin\$4 or pyromet\$4) (heat or temperatur\$4) with (sens\$4 or detect\$4 or measur\$4 or determin\$4 or pyromet\$4) with (multipl\$4 or plural\$4 or several\$4 or many\$4) @ad<="20050101"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/18 14:03

S83	230	"399".clas. (substrate or web or sheet or paper) with (heat or temperatur\$4) with (sens\$4 or detect\$4 or measur\$4 or determin\$4 or pyromet\$4) (heat or temperatur\$4) with (sens\$4 or detect\$4 or measur\$4 or determin\$4 or pyromet\$4) with (multipl\$4 or plural\$4 or several\$4 or many\$4) @ad<="20040101"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/18 14:04
S84	15	pyrometer "399".clas.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/18 15:30
S85	140	electrophotograph\$4 with plastic near5 substrate	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/18 16:25

9/ 23/ 2009 2:05:55 PM

C:\ Documents and Settings\ dbanh2\ My Documents\ EAST\ Workspaces\ 10519766.wsp